

100W



MODEL #	
PROJECT:	
NOTES:	
DATE:	
Prepared by:	

PRODUCT FEATURES:

- LUMILEDS LED, high luminous efficiency and long working life.
- ✤ High efficiency LED Driver, the wide range input voltage AC120-277V ;
- ♦ Cast alloy design, better cooling, light quality, LED Tj $< 85^{\circ}$ C.
- Optical design, greatly improved the light utilization and evenness
- ✤ PHOTOCELL CONTROL (OPTIONAL)

SEMI-CUTOFF WALL PACK LIGHT

Additional Information:

- o Power: 100W
- o Input: AC 120-277V
- CCT: 5000K
- o Output: 13800 LM
- o Light Source: LUMILEDS
- o Driver: SOSEN


Structure Features:

- o Shell Material: Alloy & PC
- o Color: Dark Bronze
- o Weight: 8 lbs.

PRODUCT APPLICATIONS:

The 1000LED LED WALL PACK Lighting Series can be widely used in Pedestrian Walkways, Parking Garages, Public Areas,

Schools, Hospitals, Hotels and Outdoor Walkways






100W

SEMI-CUTOFF WALL PACK LIGHT

TECHNICAL PARAMETERS:

Туре	1L-HWP10W27-XXK				
Power	100W	Lighting Angle	60*90°		
Input Voltage	AC120-277V	LED Brightness Decay	<5%/6000 hrs		
PF	>0.95	Working Life	>50000 hrs		
Driver Efficiency	>90%	Working Temperature	-30 - +45℃		
Luminous Flux	13800 Lm	Storage Temperature	-40 -+80°C		
Color Temperature	4000K/5000K	Protection Level	Wet Location/IP65		
CRI	Ra>80	Cable	Input Connect, No Cable		

PHOTOMETRY:





100W

SEMI-CUTOFF WALL PACK LIGHT

ORDERING INFORMATION:

EXAMPLE: 1L-HWP10W 27-XXK

1L	HWP	10W	27	50K	Р
Company	Product	Power	Voltage	ColorTemp	Control
1000LED	HWP Semi Cut-off Wall Pack	45W(45W) 07W(70W) 10W(100W) 15W(150W)	27 AC120-277V 48 AC200-480V	40K (4000K) 50K (5000K)	P 100-277V PHOTOCELL

PRODUCT CERTIFICATIONS:







Email: info@1000LED.com **1000LED INC.** Website: www.1000LED.com Toll-free: (877) 340-1700

1000LED - com